

15, 49005, ; e-mail: [Ermando@i.ua](mailto:Ermando@i.ua)

( )

( )

( )

1. . 2 .. 1. . . . . , 2014. 245 .
2. . 2 .. 2. . . . . , 2014. 188 .
3. *Donald J. Kessler*<sup>1</sup>, *Nicholas L. Johnson*, *J.-C. Liou*<sup>2</sup>, *Mark Matney*. The Kessler Syndrome: Implications to Future Space operations. 33-rd Annual AAS guidance and control conference. Breckenridge, Colorado. February 6 – 10, 2010. URL: <http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.394.6767&rep=rep1&type=pdf> ( 22.04.2019)
4. The Orbital Debris Quarterly News. NASA JSC Houston. 2018. Iss 4. Vol. 22. P. 10
5. . . . . 2017. 2. . 33–40.
6. *Lovell T.A.*, *Tragesser S.* Guidance for Relative Motion of Low Earth Orbit Spacecraft Based on Relative Orbit Elements. AIAA Paper 2004-4988, presented at the AAS/AIAA Astrodynamics Specialist Conference, Providence, RI. 2004.
7. . . . . «CubeSat». . 2009. . 15. 3. . 20–31.
8. . . . . ( . . . . . ) . 2012. 1. . 94–102.
9. . . . . : . . . . . 2018. 1. . 30–47.
10. . . . . : . . . . . , 2012. 378 .
11. . . . . International Book Market Service Ltd, member of OmniScriptum Publishing Group, Beau Bassin. 2018. 331 c.
12. . . . . 2018. 100. URL: [http://trudymai.ru/upload/iblock/239/Pikalov\\_YUdintsev\\_rus.pdf?lang=ru&issue=100](http://trudymai.ru/upload/iblock/239/Pikalov_YUdintsev_rus.pdf?lang=ru&issue=100) ( 22.04.2019).

13. . . . . 2012. . 23, 1–2. . 110–120.
14. . . . . 2014. . 2. . 43–51.
15. . . . . 2015. . 4. . 126–138.
16. *Lapkhanov E., Paliy A.* Analysis of technologies for spacecraft removal from Low Earth Orbits using on-board-produced electromagnetic and magnetic fields. . 2018. . 4. . 21–29.
17. . . . . : , 2014115630/11, 7, B 64 G 1/00; 2559392 1 . 18.04.14 ; . 10.08.15.
18. . . . . 2013. . 12. . 26–38.
19. . . . . 2018. . 3 (116). . 3–14.
20. *Christophe Bonnal, Jean-Marc Ruault, Marie-Christine Desjean.* Active debris removal: Recent progress and current trends. *Acta Astronautica*. 2013, Vol. 85. April – May. P. 51–60.
21. . Rocsat 2 – « » . 2004. . 14, 7. . 26–29.
22. *Dudeck M., Doveil F., Arcis N., Zurbach S.* Plasma propulsion for geostationary satellites and interplanetary spacecraft. *Rom. Journ. Phys. Bucharest*, 2011. Vol. 56. P. 3 – 14. URL: [http://www.nipne.ro/rjp/2011\\_56\\_Suppl/0003\\_0014.pdf](http://www.nipne.ro/rjp/2011_56_Suppl/0003_0014.pdf) ( . 22.04.2019).
23. *Alby F.* SPOT-1 End of life disposal maneuvers. *Advances in Space Research*. 2004. . 35. P. 1335 – 1342.
24. . . . . 2013. . 1. . 61–65.
25. *Shan M., Guo J., Gill E.* Review and comparison of active space debris capturing and removal methods. *Progress in Aerospace Sciences*. 2015. vol. 80. P. 18–32.
26. *Pelton J.N.* New solutions for the space debris problem. Springer. 2015. 94 p.
27. *Xin M., Pan H.* Nonlinear optimal control of spacecraft approaching a tumbling target. *Aerospace Science and Technology*. 2011. Vol. 15, No. 2. P. 79–89.
28. *Yoshida K., Nakanishi H., Ueno H., Inaba N., Nishimaki T., Oda M.* Dynamics, control and impedance matching for robotic capture of a non-cooperative satellite. *Advanced Robotics*. 2004. Vol. 18. No. 2. P. 175–198.
29. *Han W., Huang Y., Chen X.* Research of impact dynamic modeling of flexible probe-cone docking mechanism based on Kane method. *Archive of Applied Mechanics*. 2015. Vol. 85. No. 2. P. 205–221.
30. *Moody C.K., Probe A.B., Masher A., Woodbury T., Saman M., Davis J., Hurtado J.E.* Laboratory Experiments for Orbital Debris Removal. In: AAS Guidance, Navigation and Control Conference, Breckenridge, Colorado, USA. 5-10 February. 2016. P. 1–12.
31. *Wormnes K., Le Letty, R., Summerer L., Schonenborg R., Dubois-Matra O., Luraschi E., Delaval J.* ESA technologies for space debris remediation. In: 6th European Conference on Space Debris, Darmstadt, Germany. 22 April, 2013. Vol. 1. P. 1–8.
32. *Benvenuto R., Salvi S., Lavagna M.* Dynamics analysis and GNC design of flexible systems for space debris active removal. *Acta Astronautica*. 2015. Vol. 110. P. 247–265.
33. . . . . : . 2018105002, 7, B64G 1/56, B64G 1/64; RU2676368(13)C1 . 09.02.18; . 28.12.18.
34. *Goff J. A., Judson M. I., Hoyt W., Ryan F. P., Bolton W. G.* Sticky boom non-cooperative capture device: . 13/312,984, B25.9/00, B25. 5/02, B25. I5/06, B25. I5/00, B25. 18/00; US 2012.0076629A1 . 06.12.11; . 29.03.12.
35. . . . . 2016. . 90. URL: <http://trudymai.ru/published.php?ID=74644>
36. *Dudziak R., Tuttle S., Barraclough S.* Harpoon technology development for the active removal of space debris. *Advances in Space Research*. 2015. Vol. 56. No. 3. P. 509–527.
37. . . . . 2016. . 88. URL: <http://trudymai.ru/published.php?ID=69696>
38. *Alpatov A., Cichocki F., Fokov A., Khoroshylov S., Merino M., Zakrzhevskii A.* Determination of the force transmitted by an ion thruster plasma plume to an orbital object. *Acta Astronautica*. 2016. No.119. . 241–251
39. *Alpatov A. P., Fokov A. A., Khoroshylov S. V., Savchuk A. P.* Error Analysis of Method for Calculation of Non-Contact Impact on Space Debris from Ion Thruster. *Mechanics. Materials Science & Engineering*. 2016. No. 5. . 64–76.
40. . . . . 2017. . 1. . 26–39.

41. . . . . 2018. (14(4)). . 5–8.
42. *Bombardelli C., Urrutxua H., Merino M., Ahedo E., Peláez J.* Relative dynamics and control of an ion beam shepherd satellite, *Spacefl. Mech.* 2012. Vol. 143. P. 2145–2158.
43. *Bombardelli C., Pelaez J.* Ion beam shepherd for asteroid deflection. *Journal of Guidance, Control and Dynamics.* 2011. Vol. 34, No.4. P. 1270–1272.
44. . . . . 2016. . 22. 6. . 20–24.
45. . . . . : . 109318 : B 64 G 1/62, 109318; 20131326; 14.11.13; . 10.08.2015, . 15.11 . 52.
46. . . . . : . 113747 : B 64 G 1/62; 201407652; . 07.07.2014; . 10.03.2017, . 5.11 .
47. . . . . : . 109194, B 64 G 1/62; 201312759; 01.11.13; . 27.07.2015, . 14.12 .
48. . . . . . 2017. . 13. 4. . 33–45.
49. *Nock K. T.* Balloon device for lowering space object orbits : . 10/394,477, B64G1/62; 6830222; . 21.05.2003, . 14.12.2004.
50. *Fleeter R., DeBra D. B., Gloyer P., Wahl Z., Goldshtein D.* Aerobraking orbit transfer vehicle: 09/925,207, B64G1/22; 6550720; . 09.08.2001, . 22.04.2003.
51. *Rasse B., Damilano P., Dupuy C.* Satellite inflatable deorbiting equipment for LEO spacecrafts. *Journal of Space Safety Engineering.* 2014. Vol. 1, No. 2. P. 75–83.
52. *Roddy M., Huang Po-Hao A.* Development of a solid-state inflation balloon for aerodynamic drag assisted deorbit of CubeSats. The University of Arkansas, Fayetteville Arkansas, USA. URL: [http://www.unisec-global.org/ddc/pdf/1st/06\\_MorganRoddy\\_pre.pdf](http://www.unisec-global.org/ddc/pdf/1st/06_MorganRoddy_pre.pdf) ( 22.04.2019).
53. *Vignali G.* Sailing System for Cubesat Deorbiting. University of Rome, Italy. 2016. URL: [http://www.unisec-global.org/ddc/pdf/1st/01\\_FedericoSailing\\_abst.pdf](http://www.unisec-global.org/ddc/pdf/1st/01_FedericoSailing_abst.pdf) ( 22.04.2019).
54. *Andrews J., Watry K., Brown K.* Nanosat deorbit and recovery system to enable new missions. 25th Annual AIAA/USU Conference on Small Satellites. URL: <https://digital.comons.usu.edu/cgi/viewcontent.cgi?article=1164&context=smallsat> ( 22.04.2019).
55. *Viquerat A., Schenk M., Sanders B., Lappas V.* Inflatable rigidisable mast for end-of-life deorbiting system. ESA. URL: <http://www.markschenk.com/research/files/SSMET2014-InflateSail.pdf> ( 22.04.2019).
56. *Alhorn D. C., Casas J. P., Agasid E. F., Adams C. L., Laue G., Kitts C., O'Brien S.* The Small Satellite That Could!. Proceedings of the 25th Annual AIAA/USU Conference on Small Satellites. Logan, 2011. URL: <https://ntrs.nasa.gov/archive/nasa/casi.ntrs.nasa.gov/20110015650.pdf> ( 22.04.2019).
57. *Anderson J. L.* NASA's Nanosail-D 'Sails' Home – Mission Complete. NASA.gov. URL: [https://www.nasa.gov/mission\\_pages/smallsats/11-148.html](https://www.nasa.gov/mission_pages/smallsats/11-148.html) ( 22.04.2019).
58. *Wolanski P.* PW-SAT first polish satellite. S&T Subcommittee of COPUOS. 2012. URL: <http://www.oosa.unvienna.org/pdf/pres/stsc2012/tech-44E.pdf> ( 22.04.2019).
59. *Williams K.* NASA's Exo-Brake 'Parachute' to Enable Safe Return for Small Spacecraft. NASA.gov. 2017. URL: [https://www.nasa.gov/directorates/spacetech/small\\_spacecraft /feature/exo-brake\\_parachute](https://www.nasa.gov/directorates/spacetech/small_spacecraft /feature/exo-brake_parachute) ( 22.04.2019).
60. *Hoyt R., Forward R.* Performance of the Terminator Tether for Autonomous Deorbit of LEO Spacecraft. AIAA-99-2839 35-th Join Propulsion Conference & Exhibit. 20 – 24 June. Los Angeles. 1999. P. 1–10.
61. *Hoyt R., Forward R.* Application of the terminator tether™ electrodynamic drag technology to the deorbit of constellation spacecraft. American Institute of Aeronautics and Astronautics Inc. 1998. P. 1–19. URL: <http://www.tethers.com/papers/TTPaper.pdf> ( 22.04.2019).
62. *Carmen Pardini, Toshiya Hanada, Paula H. Krisko.* Benefits and Risks of using electrodynamic tethers to deorbit spacecraft. IAC-06-B6.2.10. URL: <https://www.iadc-online.org/Documents/IADC-06-08.pdf> ( 22.04.2019).
63. . . . . 2017. 4. . 55–63.
64. . . . . 2018. 3. . 3–10.
65. *Kawashima R., Bak J., Matsuzawa S., Inamori T.* Particle Simulation of Plasma Drag Force Generation in the Magnetic Plasma Deorbit. Tokyo University. 2018. URL: [www.al.t.utokyo.ac.jp/members/junhwib/docs/2018Kawashima\\_JSIR.pdf](http://www.al.t.utokyo.ac.jp/members/junhwib/docs/2018Kawashima_JSIR.pdf) ( 22.04.2019).
66. . . . . 2018. 24, 2. . 43–46.

67. *Shuvalov V. A., Gorev N. B., Tokmak N. A., Pis'menny N. I., Kochubei G. S.* Control of the drag on a spacecraft in the earth's ionosphere using the spacecraft's magnetic field. *Acta Astronautica*. 2018. Vol. 151. P. 717–725.
68. *Shuvalov V. A., Tokman N.A., Pis'mennyi N.I., Kochubei G.S.* Dynamic Interaction of a Magnetsized Body with a Rarefied Plasma Flow. *Journal of Applied Mechanics and Technical Physics*. 2016. r.57. 1. P. 145–152.
69. . . . . 125265 . . . . . B64G 1/00, B64G 1/10, B64G 1/24.u 2017 09603; . 02.10.2017; . 10.05.2018.
70. . . . . . 2018, 4 (148). . 20–35.
71. . . . . . 2018. 4 (117). . 24–35.
72. . . . . . 2015. 32. 32 . URL: <http://library.keldysh.ru/preprint.asp?id=2015-32> ( . 22.04.2019).
73. *Heaton A. F., Faller B. F., Katan C. K.* NanoSail-D Orbital and Attitude Dynamics. *Advances in Solar Sailing*, ed. by M. Macdonald. Springer-Verlag Berlin Heidelberg. 2014. P. 95–113.
74. *Mori O., Sawada H., Funase R., Endo T., Morimoto M., Yamamoto T., Tsuda Y., Kawakatsu Y., Kawaguchi J.* Development of first solar power sail demonstrator – Ikaros. JAXA Space Exploration Center. Japan. URL: [http://issfd.org/ISSFD\\_2009/AOCSI/Mori.pdf](http://issfd.org/ISSFD_2009/AOCSI/Mori.pdf) ( . 22.04.2019).
75. *Herbeck L., Sickinger C., Eiden M., Leipold M.* Solar sail hardware developments. *European Conference on Spacecraft Structures: Materials and Mechanical Testing*. Toulouse. 2002. P. 1–10.
76. *Leipold M., Garner C. E., Freeland R., Hermann A., Noca M., Pagel G., Seboldt W., Sprague G., Unckenbold W.* Odissee – a proposal for demonstration of a solar sail in earth orbit. *Acta Astronautica*. 1999. Vol. 45, Iss. 4. P. 557–566.
77. *Pfisterer M., Schillo K., Valle C., Lin K.-C., Ham C.* The Development of a Propellantless Space Debris Mitigation Drag Sail for LEO Satellites. *Space Mission Analysis and Design*. 2011. URL: <http://www.iiis.org/Chan.pdf> ( . 22.04.2019).
78. . . . . . 2016. 3. . 51–56
79. . . . . . 2018. 6. . 4–11.
80. . . . . 201801742, B 64 G 1/62. . [ ]/ . . . . . 201801742, . 21.02.2018. . 24.04.2019, 18.06.2019